

Lyon Super Debeaker





Debeaker 44.00.95083

Foot pedal 44.00.90058



What is beak trimming

Beak trimming is the removal of a portion of a bird's beak by trimming and cauterization or by searing the upper beak. The major advantages of beak trimming are to stop a bird's fighting and cannibalism tendencies. Birds with trimmed beaks tend to be quieter because a major reason for their fear of other birds has been eliminated. Other advantages of beak trimming are reduced feed waste, the elimination of toe and feather picking and reduction in egg loss.

Why cauterize

Cauterization of a wound to stop pleeding is as old as the medical profession itself. With birds, there are additional advantages of cauterization. Cauterizing performs two critical advantages: to promote healing, and prevent the spread of disease.



Effects of excessive heat in beak trimming

The costliest error in beak trimming is the use of excessive or prolonged heat, especially when doing severe beak trimming. The heated blade is primarily used to cut the beak and sear the surface to stop bleeding. The application of too much heat may result in a ball like growth on the beak that is tender. This can be painful to the bird when eating and drinking and cause the bird's death. Never use more heat than necessary to do the job.

The Super Debeaker

This Super debeaker comes with CE approval and is engineered to be heavy duty, dependable, and endurable.

The debeaker comes standard with a KH blade for debeaking birds from 6 weeks and older.

For younger chicks, the debeaker can be equipped with a BP block debeaking attachment with a BC blade.

The debeaker is manually operated. A metal foot pedal is available for easy operation.



KH blade | 44.00.93025



BP block debeaking attachment | 44.00.94012



BC blade | 44.00.93000



Innovative drinking technology



Impex Barneveld B.V.

Industrial park 'De Harselaar' West
Harselaarseweg 129, 3771 MA Barneveld - Holland
P.O. Box 20, 3770 AA Barneveld - Holland

JERÍ ZI DAUTOMATION

Phone: +31 (0)342 416 641 Fax: +31 (0)342 412 826 E-mail: info@impex.nl

www.impex.nl/en